**Original Paper** 

# Content and Feature Preferences for a Physical Activity App for Adults With Physical Disabilities: Focus Group Study

Sara H Olsen, MS, MPH; Sandra L Saperstein, PhD; Robert S Gold, PhD, DrPH

Department of Behavioral and Community Health, School of Public Health, University of Maryland, College Park, MD, United States

#### **Corresponding Author:**

Sara H Olsen, MS, MPH Department of Behavioral and Community Health School of Public Health University of Maryland 4200 Valley Dr #1234 College Park, MD, 20742 United States Phone: 1 301 405 2463 Email: sara.olsen@gmail.com

# Abstract

**Background:** Hundreds of thousands of mobile phone apps intended to improve health and fitness are available for download across platforms and operating systems; however, few have been designed with people with physical disabilities in mind, ignoring a large population that may benefit from an effective tool to increase physical activity.

**Objective:** This study represents the first phase in the development process of a fitness tracking app for people with physical disabilities interested in nontraditional sport. The aim of this research was to explore user preferences for content, appearance, and operational features of a proposed physical activity app for people with physical disabilities to inform the design of a mobile phone app for increasing physical activity.

**Methods:** Four focus groups were conducted with 15 adults with physical disabilities who currently participate in nontraditional, non-Paralympic sport. Data collected from the focus group sessions centered on content, functionality, and appearance of apps currently used by participants as well as preferences for a future app.

**Results:** Participants (mean age 35.7, SD 9.2 years) were mostly white (13/15, 87%), and all were currently participating in CrossFit and at least one other sport. Five main themes were identified. Themes included preferences for (1) workout-specific features that were tailored or searchable by disability, (2) user experience that was intuitive and accessible, (3) profile personalization options, (4) gamification features that allowed for competition with self and other users, and (5) social features that allowed increased interaction among users. Participants expressed a primary interest in having a fitness app that was designed for people with physical disabilities such that the features present in other fitness tracking apps were relevant to them and their community of adaptive athletes.

**Conclusions:** The results showed that features related to user experience, social engagement, and gamification are considered important to people with physical disabilities. Features highlighted by participants as most desired, from a consumer perspective, were in line with research identifying attributes of quality apps that use behavior change techniques to influence positive physical activity behavior change. Such insights should inform the development of any fitness app designed to integrate users with disabilities as a primary user base.

(JMIR Mhealth Uhealth 2019;7(10):e15019) doi: 10.2196/15019

# **KEYWORDS**

RenderX

adapted sport; disability; physical activity; focus group; apps; fitness; user-centered design; mHealth

# Introduction

## Background

The physical, psychological, emotional, and economic benefits of participating in physical activity are well established. Regular, moderate-intensity physical activity has been shown to improve muscular and cardiorespiratory fitness as well as bone health and reduce the risk of chronic diseases such as hypertension, coronary heart disease, diabetes, various cancers, and depression. Physical activity plays a critical role in weight control, which has also been linked to the same chronic diseases [1-4]. Conversely, physical inactivity has been attributed to 6% of coronary heart disease, 7% of type 2 diabetes, 10% of breast cancer, and 10% of colon cancer incidence globally [5]. Research also suggests that even small increases in physical activity in the least active populations have a much larger impact on overall health than any increase in activity level in populations closer to achieving physical activity guidelines [5]. These findings provide a powerful rationale for interventions to increase physical activity.

The Centers for Disease Control and Prevention broadly defines disability in adults as a limitation to routine activities or the need for assistive devices. More than half of the adult US population with any disability is inactive-47% are completely sedentary and an additional 22% do not move enough to meet the physical activity guidelines [6], which is higher than the national sedentary estimate of 23.7% in the general population [7]. This study focuses on people with physical disabilities, that is, those individuals with permanent physical impairments that affect participation in physical activity and fitness. People with physical disabilities, on the whole, are more likely to report poor overall health, lower access to health care, and decreased physical activity [8] than those without disabilities. This population is at significantly greater risk of comorbidities associated with inactivity [9,10], with risk of disease increased regardless of disability type [7]. Scoping reviews of literature report the use of mobile health (mHealth) to improve physical activity in special populations [11,12], with 1 randomized controlled trial showing significant increases in physical activity over time in internet-based physical activity interventions with adults with multiple sclerosis [13]. However, the research for people with physical disabilities is limited. Expansion of electronic health (eHealth) approaches to increase physical activity should continue to be investigated for all people with physical disabilities, with a focus on mobile apps as the market continues to expand.

There are 380,000 mobile apps related to health and fitness, with over 78,000 added in 2017 alone [14]. mHealth apps focusing on physical activity tend to lack theory or evidence-based content and messaging, and few of the commercially available apps have been actively studied for their effectiveness to increase physical activity or intent to continue activity [15,16]. However, there is evidence that eHealth interventions (internet-based and native mobile apps) that target physical activity resulted in increases in users' activity [17,18], and mobile physical activity app users are more likely to maintain behaviors than nonusers [19]. In addition, taking

advantage of gamification features in mHealth apps resulted in improved user health and well-being [20].

Increased access to technology, specifically mobile apps, may be able to decrease prevalence of inactivity of users, including users with physical disabilities. Plow and Golding [21] found that the use of commercially available apps designed to promote self-management showed increases in planned physical activity in adults with musculoskeletal and neurological conditions. People with musculoskeletal conditions also adhered better to home therapy exercise routines and were more likely to increase function when prescribed programs were available on an app, compared with take-home paper instructions [22]. App use shows promise for people with physical disabilities, but apps are not generally designed specifically for these users, causing accessibility issues during use. Mobile devices' small screens with little negative space make using the device difficult for people with visual impairments or dexterity issues [23]. Therefore, people with physical disabilities have to adapt to the app rather than have an app that is intuitive for them. Active people with physical disabilities understand the unique physical activity needs of people with physical disabilities and have the experience to inform design of an app that is more likely to meet their needs at various levels of physical activity participation.

#### **Expanding Landscape of Adapted Sport**

In the United States, traditional recreational sport competitions have had to make room for nontraditional activities, such as functional fitness, obstacle course racing (OCR), and strongman competitions. Marathons and shorter races have seen registrations on a slow decline after peak registrations in 2013 [24]. Meanwhile, there is a growth in participation in less traditional OCR. Events such as the Spartan and Tough Mudder report 5 million and 2 million participants, respectively [24]. CrossFit, another nontraditional sport, has risen globally for the last 10 years. By the beginning of 2019, there were approximately 15,500 registered affiliates worldwide [25].

Parasport activities, sports such as wheelchair basketball and track events that are represented in Paralympic competition, are promoted through local parasports clubs, the Department of Veterans Affairs, and a variety of adapted sport-based nonprofit organizations. In recent years, people with physical disabilities have increased their recreational participation in nontraditional sports and are being recognized by organizers as consumers of nontraditional sport. In 2018, Spartan introduced the first ever Para Spartan Heats. Adaptive athletes (also known as people with physical disabilities) in the Elite Para division competed for a grand prize of US \$10,000, and the event was covered by the Entertainment and Sports Programming Network, a major sports-broadcasting network. Although anecdotal, the expansion and visibility of people with physical disabilities in large nontraditional sport events is indicative of the growing interest of the community. As interest continues to grow, so might the consumer market for physical activity apps for them. To maximize the potential for proposed apps to support behavior change, specifically sustained physical activity participation, the apps should be designed to meet the needs and desires of

the target audience, the people with physical disabilities, and should use evidence-based design features.

## **User-Centered Design**

From a commercial perspective, investment in design and development of an app is paramount because if a consumer is not engaged with the app, they will not return or recommend it to others. This also applies to mHealth—if the end user is not engaged, the intervention effectiveness is undermined [26]. Understanding the end-user requirements and the context of use increases a design's success rate of usability and, ultimately, the engagement necessary for an mHealth intervention implementation [27]. Currently, however, commercial apps do not integrate health intervention best practices, and mHealth interventions do not include the end user in the design process, reducing the potential effectiveness of the app to create sustained behavior change [26].

Focus groups can be a valuable tool in the early stages of the user-centered design (UCD) process to better understand what users want in the app. For a new app with broad potential reach, the type and number of actual users may be unclear until launch. Therefore, defining primary user characteristics is necessarily an iterative process [28]. This study recruited currently active people with physical disabilities who had used a fitness tracking app at least once to understand the unique needs of people with physical disabilities and to begin to build a taxonomy of features for reference in future focus groups of people with physical disabilities who might be less familiar with fitness tracking apps.

# Objective

The indication that mobile app use increases physical activity adherence and the growth of participation of people with physical disabilities in nontraditional sport emphasizes the potential for mobile fitness tracking apps, designed specifically for users with physical disabilities, across a wide variety of physical activities to influence positive health outcomes. This study represents the first phase of UCD data collection for the development of an app for people with physical disabilities. The aim of this study was to explore user preferences for content, appearance, and operational features for a physical activity app for people with physical disabilities. Findings from this study will be used to inform the initial design phase of the mobile app.

# Methods

# **Study Design**

To encourage interaction and generation of ideas related to a proposed fitness tracking app for people with physical disabilities, focus groups were chosen. Focus groups offer an opportunity for discussion, debate, and idea sharing that has the potential to draw out more nuanced preferences of app content and features [29]. A total of 4 focus groups comprising adults with physical disabilities who were active in nontraditional sport (eg, no Paralympic equivalent) were conducted in the south, west, and mid-Atlantic regions of the United States throughout the months of March and April 2018. Focus groups were conducted by an experienced facilitator and an observer note taker. The facilitator guide was reviewed by a professional focus group moderator who made suggestions to improve wording and flow of questions. Focus group sizes averaged 4 participants. Institutional review board approval for data collection with active consent was obtained in advance through the University of Maryland.

## Participants

Adults, aged 18 to 54 years (mean age 35.7, SD 9.2 years), who had a self-reported physical disability and were currently engaged in nontraditional sport activities were recruited through Crossroads Adaptive Athletic Alliance's network of fitness venues and via internet-based posting in closed Facebook groups built for adaptive athletes. A total of 15 people volunteered to participate. Participants were mostly white (n=13) and approximately half of all participants were female (n=9 female). Patients varied in mechanism of disability (n=8 acquired, n=6 congenital, n=1 both). The most prevalent nontraditional sport listed was CrossFit (n=15), and all participants engaged in at least one other sport. The demographic data, as collected on a questionnaire, for participants are presented in Table 1.



Table 1. Demographic characteristics of focus group participants across 4 focus group sessions and 3 regions in the United States.

Demographic characteristics	Focus groups participants (N=15), n (%)			
Gender				
Female	9 (60)			
Male	6 (40)			
Age (years)				
18-29	3 (20)			
30-39	7 (47)			
40-49	4 (27)			
50-59	1 (7)			
Race or ethnicity				
White	13 (87)			
African American	1 (7)			
Asian	1 (7)			
Region				
South	8 (53)			
West	4 (27)			
Mid-Atlantic	3 (20)			
Disability				
Lower extremity amputation	4 (27)			
Cerebral palsy	3 (20)			
Spinal cord injury	3 (20)			
Other (eg, club foot and limb paralysis)	3 (20)			
Upper extremity amputation	1 (7)			
Visual impairment	1 (7)			
Mechanism				
Acquired	8 (53)			
Congenital	6 (40)			
Both	1 (7)			
Current sport participation				
CrossFit	15 (100)			
Parasport (ie, Paralympic equivalent available)	7 (47)			
Olympic lifting	4 (27)			
Baseball	1 (7)			
Bodybuilding	1 (7)			
Highland games	1 (7)			
Obstacle course racing	1 (7)			
Sailing	1 (7)			
Strongman	1 (7)			
Volleyball	1 (7)			
Yoga	1 (7)			



# Procedures

Before the sessions began, participants were informed about the purpose of the groups, what they would be asked, the benefits and risks of participation, that participation was voluntary, and how their responses would be kept confidential. Participants signed and received a copy of the informed consent forms. Focus group sessions lasted approximately 2 hours and were audio recorded. Lunch was provided during the focus group sessions, but no other incentives were offered.

A semistructured guide was developed to frame the discussion. The session was designed to cover 4 broad topic areas. The first part of the session examined participants' introduction to adapted sport. The second part explored current app use. Participants were asked to describe the apps they used most frequently and what features they liked most. The question was used to elicit features that appealed to participants, regardless of app purpose. All participants were current app users with the most common apps mentioned being games or social media. However, apps organically introduced by participants also included fitness tracking apps. Regardless of app type, preferred features that were mentioned by the participants were included in the final ranking activity. In the third phase of the focus groups, participants were provided screenshots from 2 mobile

apps: Gateway to Gold, designed by US Paralympics as a fitness tracking and recruiting tool specifically for people with physical disabilities, and Beyond the Whiteboard, the official app of CrossFit to track workouts and connect a geographically disparate fitness community. None of the participants had used either app, although a few mentioned that they had heard of Beyond the Whiteboard. On the basis of images alone, participants provided feedback and described functionality assumptions. In the final phase of the focus groups, participants were asked to consider their own experiences and the session's discussion to describe the features of an ideal fitness tracking app for people with physical disabilities. Some of the gamification and social interaction features participants described in this phase of the focus group were originally mentioned in the second phase of the focus group in which features of most frequently used apps were discussed. The end of each session included an activity in which app features mentioned by the participants throughout the session were displayed for participant review. Therefore, each focus group had a slightly different list of features to review. Table 2 lists these features such as offering broad disability selection options for user profiles. The participants independently rated priority features as must have, nice to have, or not needed. They were not required to vote on every feature.



Olsen et al

Table 2. Focus group participants' identification and rankings of preferred features in a disability-specific workout app.

Theme and identified features <sup>a</sup>	"Must have"	"Nice to have"	"Not needed"	Total participants rating this feature
Profile		•	•	
Broad profile classifications of disability (vs more traditional narrow Paralympic classifications)	2	_	_	11
Customizable profile (avatar, location, social media handles, etc)	1	1	_	6
Subcategories of disability category available for selection on profile page	_	_		9
Workout-specific				
Detailed and strict movement standards for multiple disabilities for each posted workout	8	_	_	15
"Additional assistance needed"/modification options for workouts	8	_	_	15
Workout history (view by workout or calendar)	7	_	_	12
Workout search function (by primary muscle group/body part or specific movement)	2	3	_	8
Workout/training tips	2	_	_	6
Wholistic tracking (nutrition, sleep, etc)	_	2	_	13
Lift percentages precalculated based on 1RM <sup>b</sup> , 3RM, or 5RM in the benchmark section	_	2	1	7
Jser experience				
Links to an in-app resources page (grants for equipment and travel, used adapted sport gear, link to Parasports club pages, etc)	5	_	_	13
Intuitive functions and navigation	4	_	_	13
Compatible with phone screen readers	2	_	_	4
User control of what others can see, privacy settings	2	_	_	9
Free	1	_	_	9
User video upload	1	_	4	9
Glossary of terms	_	3	_	6
Explanation on landing page of who the app is for/who is allowed to join	_	_	3	6
Gamification features				
Leaderboard sortable by location, disability, and gender	4	6	_	15
Goal setting in app	_	4		4
Share PRs <sup>c</sup> and workout comments in app	_	2	_	5
In-app prompts to move up a level or try a heavier weight (based on time since last attempt, comparison with others at the same level, or progress marked in other benchmarks)	_	2	_	13
Levels defined for each workout, with next level locked until previous one is completed	2	—	2	15
Profile badge for "level" achieved in app	_	3	2	9
In-app notifications (eg, PR, movement on leaderboard)	_	2	4	9
Option to make scores public or private	_	_	2	9
Social/user interaction				
Ability to network with and message other users	2	2	_	12
Share in-app successes on social media	_	3	_	15
Positive reinforcement from other users ("like" score, post emoji)	_	_	2	7
Compete with friends in app (eg, post own challenges)	_	_	2	7
Ability to create workout groups with other users	_		1	4

https://mhealth.jmir.org/2019/10/e15019

XSL•FO RenderX

Theme and identified features <sup>a</sup>	"Must have"	"Nice to have"	"Not needed"	Total participants rating this feature
Ability to look up other athletes	_	_	1	10
Ability to comment on workout descriptions	_	_	1	6
Sync results to fitness tracker	_	_	1	6

<sup>a</sup>The numbers in each column reflect aggregated votes across all focus groups. Participants were asked to place colored stickers by features to represent *must have, nice to have,* and *not needed* app features but not required to vote on each feature. Some features received no stickers but remained on the table to indicate being mentioned during the focus group session.

<sup>b</sup>RM: repetition maximum, for example, 1RM is the maximum weight lifted by an individual for 1 repetition.

<sup>c</sup>PR: personal record.

#### **Data Analysis**

During the focus groups, notes taken by the facilitator and note taker were compared to ensure all mentioned features were included in the final activity. Participants were also asked to review the list to ensure nothing was missed or presented other than intended during conversations. Saturation was reached by the fourth focus group session. This list formed the basis of the results. In addition, focus group sessions were recorded and transcribed verbatim and verified for accuracy by a second listening. Using the processes inherent in thematic analysis [30], each focus group transcription was open coded by a single researcher (SHO) with the review of thematic analysis by coauthors (SLS and RSG). Codes related to the app features were then collated into potential themes and compared against coded data extracts. The full list of feature themes derived from the transcriptions was used to verify the completeness of the lists used during the focus group rating activity. No additional feature-based themes emerged from the data during this last step.

# Results

#### Summary

Analysis of focus groups sessions revealed 5 overarching themes across the 34 recommended features and functions. The themes address preferences for (1) workout-specific features that were tailored to or searchable by disability, (2) user experience that was intuitive and accessible, (4) profile personalization options, (4) gamification features that allowed for competition with self and other users, and (5) social features that allowed increased interaction among users. Several of the user experience and social feature preferences mentioned by the participants were based on apps and app features that were not fitness related. The complete list and total number of votes of each feature aggregated across all focus groups can be found in Table 2.

#### **Profile Features**

Participants noted that the profile setup page for the comparison Gateway to Gold app used very specific Paralympic-based classification terms for the profile (eg, Les Autres and Dysmelia) that participants did not relate to or identify with. Given the fact that the proposed app would not be built specifically for Paralympic hopefuls, participants believed the categories should be less specific and more understandable to all users. They also wanted the ability to personalize their profile page. Participants mentioned the preference for customizable profile pages including video upload:

...the humor part of it, it's part of expression, personalizing it. That's another thing just being able to personalize something. I don't know that's the girly side of me, if I can make it pink, would I? Or whatever, you know, something to personalize it. Everybody wants it to be their own somehow. [Participant 2]

I know sometimes if you're posting videos of what you're doing it might inspire someone else to do that or you'll see it and say, oh I can do that, as opposed to reading it. It makes a different connection. [Participant 10]

#### **Workout-Specific Features**

Both comparison app screenshots showed a library of available workouts. In a proposed app that was designed for a wide variety of people with physical disabilities, participants were primarily concerned with understanding how to do a new workout or fitness movement contained in the library. They wanted workouts with links to short videos contained in an in-app library that demonstrated a movement with multiple adaptation options, clearly described standards for proper completion of movements (eg, a squat for a below the knee amputee would mean hips drop below parallel on each repetition) differentiated by broad classifications of athletes, and provided recommendations for modifying the movements if the given standards were too hard for the user. It was also important for the participants to be able to see a history of their workouts to quickly determine improvement and set new goals. The example most frequently given was when a workout was opened from the search page, the dates and scores of all previous attempts would be listed for the user who was logged in.

Participants mentioned the preference for in-app demonstration videos of a wide variety of movements and standards for a wide variety of disability categories (Rx: how a movement or workout is prescribed by the coach or fitness instructor; denotes the weight, movements, and number of repetitions in a workout; used by participants generally referring to workouts similar to CrossFit):

...what I mean by that is there's a difference between him and her. Right? And between me and you. So, what my thought is you could click on your ability level basically and it would have a video or something

```
XSL•FO
RenderX
```

*like that of how you do it. So, it wouldn't just have the one. You know what I'm saying?* [Participant 6]

Or like a section with videos posted by the app, to show you how to do a movement, kind of like an instructional video from professionals instead. [Participant 10]

The exact thing that the Open does specifically. They have the different variations that give a video of the exact workout for the RX athlete. Then you have specific individual photos to show the scaled versions for whoever it is, whatever category and whatever person it is. [Participant 8]

#### **User Experience**

Participants spoke of the unique position many adaptive athletes find themselves in as the only person they know attempting sport and how that alone can be a barrier to participation. They recommended a resources page with links to adaptive sport event calendars, popular adaptive devices used in sport, and grant opportunities to enable participation. From a user experience perspective, participants noted the text-heavy nature of both Gateway to Gold and Beyond the Whiteboard apps. The amount of information on each screen was distracting, and they would prefer an app that is more visual and more intuitive. A participant complained:

# It does have pretty small text. It's too busy. Too much information that I don't care. [Participant 2]

A positive feature noted by a participant with visual impairments was the large text in the buttons and use of contrasting colors in the Gateway to Gold app that made navigation easier for her than in other apps in which she had to rely solely on her screen reader.

The participants explained why a resource page was important to adaptive athletes:

Let's just say in my condition right now, I want to get into wheelchair basketball and if I'm watching other people on this app doing these things. If I'm going, "I know my wheelchair isn't that one; it can't do that," again there's that resource. Click on this; its highlighted. This is where you get that type of resource. [Participant 2]

I know as a blind person I never really heard much about sports or inclusive sports. [Participant 11]

#### Gamification

Participants stated that in addition to tracking their own progress, they wanted the ability to compare their results with others, and more importantly, others similar to themselves. Several participants used FitBit, Wodify, and MyFitnessPal but were frustrated that wheelchair versus run options or 1-arm lifts were not available selections, making it impossible to compare themselves with others on the app. The most appealing option, therefore, was a leaderboard that would allow them to sort scores by disability type, adding competition with others *like them* to the app and making it unique from all other apps currently used. Participants wanted to be able to sort by disability and click on profiles of other athletes. Additional gamification features

```
https://mhealth.jmir.org/2019/10/e15019
```

mentioned were related to scores in workouts such as personal record notifications that matched features they already used in other apps.

The participants expressed their opinions on the preferred use of an in-app leaderboard:

You compete against people who are, have around the same abilities as you, so it would be nice to see where you fall. I think to be able to toggle between a very specific category and then a really broad category. [Participant 10]

It's the competitive piece to see how you stack up against others. [Participant 7]

#### Social Features

Despite all participants having multiple social media accounts, participants did not prioritize the ability to connect to those accounts or enable cross-posting across apps. Features participants liked in other apps that they thought this app should integrate included the ability to post notes, graphics interchange format files, and images to other people's accounts or feeds within the app and the ability to interact with each other concerning the workouts. They liked encouragement that a simple emoji on a workout score provided and believed that finding someone with a similar disability doing the same workouts might increase their motivation or performance over time.

# Discussion

#### **Principal Findings**

The results of this study support the need for a physical activity app designed for and with people with physical disabilities. Focus group participants discussed and ranked a wide variety of features and content for a proposed physical activity app for people with physical disabilities. Greatest consensus among participants was achieved for features that would make this app unique to people with physical disabilities or offered mechanisms for goal setting and competition, such as clear and detailed movement examples and standards for a wide variety of disabilities, disability-specific modification or progression options for movements that are currently too difficult for the user, resources page unique to adaptive sport, and a sortable leaderboard that includes a filter for disability category.

The features listed as most desirable by participants mirror those found to, empirically, support behavior change. Scoping studies reveal that apps do not intentionally incorporate health behavior constructs [31] nor do they score well on instruments designed to evaluate inclusion of behavior change theory strategies [32]. Because apps on the market do not effectively integrate constructs or strategies of behavior change, consumers may need to use multiple fitness apps to affect behavior change [33]. The inclusion of behavior change techniques, derived from multiple theories and incorporated into a taxonomy for use [34], has been shown to improve the likelihood of change and the maintenance of the newly acquired behavior [33,35,36]. These focus groups, although not explicitly discussing theoretically

based development, identified features and content most likely to effectively support behavior change.

The most common and effective behavior change techniques incorporated into commercially available physical activity apps were found in goal setting, behavior feedback, and behavior demonstration features [16,36-38]. Focus group participants listed the ability to comment on other users' workout results and workout videos, the ability to record and track progress, and the need for a wide variety of demonstration videos as priorities for their ideal fitness tracking app. They also commented frequently about the opportunity this app would give to be a part of a larger, connected adapted sport community and how that connectedness would offer a much wider set of examples for modifications to fitness movements based on disability, something that is not readily accessible to them now. Networkability-the degree to which the app supports a social networking function-has also shown increases in intention to continue using fitness tracking apps [39]. It is clear from the focus group discussions that people with physical disabilities believe a fitness tracking app designed for them would increase the sense of belonging, access to role modeling behavior either vicariously or through in-app interaction, and awareness of adaptive sport participation options.

Commercially available fitness apps incorporate gamification design principles to increase relatedness by integrating features that enable users to interact [40]. These same features-leaderboards and messaging and commenting on other users' posts or successes-are among the features focus group participants most desired. The application of gamification in health and fitness apps suggests that it can lead to a wide variety of positive behavior change impacts [20]. Gamification, specifically the use of leaderboards, has also been shown to significantly influence physical activity participation [41]. Developers marketing to people with physical disabilities should combine behavior change, technical, and design features to encourage increases in physical activity [37]. It is important to take into account unique desires of people with physical disabilities in the design process. Fitness tracking apps for people with physical disabilities should include demonstrations and clear instructions on how to perform suggested movements based on impairment. The user interface for people with physical disabilities, especially those with visual and dexterity impairments, should include high-contrast views with minimal text and large buttons for navigating the app.

#### Limitations

This study used a nonrandom purposive sample, collecting data through a network of fitness venues associated with a single nonprofit organization. This recruitment method may have introduced a selection bias; individuals who agreed to participate were already active in nontraditional sport, so their app needs might be different from a person with a physical disability just becoming active. One example of this was the extensive discussion of peer support social features during the focus groups sessions but the low rating of those features in the final activity. For active people with physical disabilities, peer modeling and virtual social support may be less important to sustained physical activity, especially if such support is provided through their sport participation. This may be enhanced by participation in traditional parasport team activities by half of the participants. All participants were active in CrossFit in addition to other sports. The average CrossFit athlete is of high socioeconomic status, whereas the average person with a physical disability is of lower socioeconomic status, which may have influenced the preference of certain features or content. Although the participant group was more homogenous with respect to race/ethnicity, the sample represented people with a wide range of disabilities, sporting interests, and an equitable number of males and females. Only 4 focus groups were conducted; however, data saturation was reached by the fourth focus group, and findings represented a diverse set of participant preferences [42]. Despite saturation of suggested features, the heterogeneity of participant needs was clear in the rating of app features. Only 2 features were considered must have by more than half of the participants.

#### Conclusions

UCD considers the needs and preferences of the end user at all stages of development. This is particularly important for anyone developing an app for people with physical disabilities; unless you have the lived experience of accessing apps as a person with physical disabilities, designing for this group is challenging. Besides providing input for a more usable platform, the process of using UCD for apps intended for people with physical disabilities empowers an often marginalized population to contribute to their own health. The results showed that features related to user experience, social engagement, and gamification are considered important to people with physical disabilities. Though none of the apps used as examples by the participants integrated theory, the features they highlighted as most desired were in line with the research-identifying attributes of quality apps that used behavior change techniques to influence positive physical activity behavior change. Such insights should inform the development of any fitness app designed to integrate users with disabilities as a primary user base. The heterogeneity of preferences when asked to rate each feature indicates that future research is needed to understand how disability type and physical activity participation affect app feature and content preference of the people with physical disabilities.

#### Acknowledgments

The authors would like to thank Crossroads Adaptive Athletic Alliance for the focus group travel funding and Project Momentum for providing trained focus group notetakers.

#### **Conflicts of Interest**

None declared.



# References

- 1. Martin JJ, Whalen L. Self-concept and physical activity in athletes with physical disabilities. Disabil Health J 2012 Jul;5(3):197-200. [doi: <u>10.1016/j.dhjo.2012.03.006</u>] [Medline: <u>22726861</u>]
- Sothern MS, Loftin M, Suskind RM, Udall JN, Blecker U. The health benefits of physical activity in children and adolescents: implications for chronic disease prevention. Eur J Pediatr 1999 Apr;158(4):271-274. [doi: <u>10.1007/s004310051070</u>] [Medline: <u>10206121</u>]
- 3. Warburton DE, Bredin SS. Health benefits of physical activity. Can Med Assoc J 2006 Sep 26;175(7):777 [FREE Full text] [doi: 10.1503/cmaj.1060147]
- 4. Wilhite B, Shank J. In praise of sport: promoting sport participation as a mechanism of health among persons with a disability. Disabil Health J 2009 Jul;2(3):116-127. [doi: 10.1016/j.dhjo.2009.01.002] [Medline: 21122750]
- 5. Everson-Hock ES, Green MA, Goyder EC, Copeland RJ, Till SH, Heller B, et al. Reducing the impact of physical inactivity: evidence to support the case for targeting people with chronic mental and physical conditions. J Public Health (Oxf) 2016 Jun;38(2):343-351. [doi: 10.1093/pubmed/fdv036] [Medline: 25812977]
- 6. Diament M. Disability Scoop. 2014. CDC: 1 In 2 With Disabilities Physically Inactive URL: <u>https://www.disabilityscoop.com/</u> 2014/05/07/cdc-physically-inactive/19343/ [accessed 2015-09-01]
- 7. Centers for Disease Control and Prevention. 2014. Nutrition, Physical Activity, and Obesity: Data, Trends and Maps URL: https://www.cdc.gov/nccdphp/dnpao/data-trends-maps/index.html [accessed 2017-04-01]
- 8. Centers for Disease Control and Prevention. Physical Activity: Data and Statistics URL: <u>https://www.cdc.gov/physicalactivity/</u><u>data/facts.htm</u> [accessed 2018-02-01]
- Carroll DD, Courtney-Long EA, Stevens AC, Sloan ML, Lullo C, Visser SN, Centers for Disease Control and Prevention (CDC). Vital signs: disability and physical activity--United States, 2009-2012. MMWR Morb Mortal Wkly Rep 2014 May 9;63(18):407-413 [FREE Full text] [doi: 10.15585/mmwr.mm6429a2] [Medline: 24807240]
- Ginis KA, Jörgensen S, Stapleton J. Exercise and sport for persons with spinal cord injury. PM R 2012 Nov;4(11):894-900. [doi: <u>10.1016/j.pmrj.2012.08.006</u>] [Medline: <u>23174556</u>]
- 11. Birkhoff S, Moriarty H. Interventions using smartphone health apps across various populations: an integrative review of the literature. J Inform Nurs 2016;1(1):13-24 [FREE Full text]
- Vandelanotte C, Müller AM, Short CE, Hingle M, Nathan N, Williams SL, et al. Past, present, and future of ehealth and mhealth research to improve physical activity and dietary behaviors. J Nutr Educ Behav 2016 Mar;48(3):219-28.e1. [doi: 10.1016/j.jneb.2015.12.006] [Medline: 26965100]
- 13. Motl RW, Dlugonski D, Wójcicki TR, McAuley E, Mohr DC. Internet intervention for increasing physical activity in persons with multiple sclerosis. Mult Scler 2011 Jan;17(1):116-128. [doi: 10.1177/1352458510383148] [Medline: 20921239]
- Pohl M. Research2Guidance. 2017. 325,000 Mobile Health Apps Available in 2017 Android Now the Leading mHealth Platform URL: <u>https://research2guidance.com/325000-mobile-health-apps-available-in-2017</u> [accessed 2019-01-27] [WebCite Cache ID 75k91wFd6]
- Ahmed OH, Lee H, Marchant H, Jones R, Hall EE. Navigating the new landscape of apps: overcoming the challenge of poor quality apps in sport and exercise medicine. Br J Sports Med 2018 Oct;52(20):1283-1284. [doi: 10.1136/bjsports-2017-097911] [Medline: 29146753]
- 16. Bondaronek P, Alkhaldi G, Slee A, Hamilton FL, Murray E. Quality of publicly available physical activity apps: review and content analysis. JMIR Mhealth Uhealth 2018 Mar 21;6(3):e53 [FREE Full text] [doi: 10.2196/mhealth.9069] [Medline: 29563080]
- Payne HE, Lister C, West JH, Bernhardt JM. Behavioral functionality of mobile apps in health interventions: a systematic review of the literature. JMIR Mhealth Uhealth 2015 Mar 26;3(1):e20 [FREE Full text] [doi: 10.2196/mhealth.3335] [Medline: 25803705]
- 18. McIntosh JR, Jay S, Hadden N, Whittaker PJ. Do e-health interventions improve physical activity in young people: a systematic review. Public Health 2017 Jul;148:140-148. [doi: <u>10.1016/j.puhe.2017.04.001</u>] [Medline: <u>28482322</u>]
- 19. Wang Q, Egelandsdal B, Amdam GV, Almli VL, Oostindjer M. Diet and physical activity apps: perceived effectiveness by app users. JMIR Mhealth Uhealth 2016 Apr 7;4(2):e33 [FREE Full text] [doi: 10.2196/mhealth.5114] [Medline: 27056639]
- 20. Johnson D, Deterding S, Kuhn KA, Staneva A, Stoyanov S, Hides L. Gamification for health and wellbeing: a systematic review of the literature. Internet Interv 2016 Nov;6:89-106 [FREE Full text] [doi: 10.1016/j.invent.2016.10.002] [Medline: 30135818]
- 21. Plow M, Golding M. Using mhealth technology in a self-management intervention to promote physical activity among adults with chronic disabling conditions: randomized controlled trial. JMIR Mhealth Uhealth 2017 Dec 1;5(12):e185 [FREE Full text] [doi: 10.2196/mhealth.6394] [Medline: 29196279]
- 22. Lambert TE, Harvey LA, Avdalis C, Chen LW, Jeyalingam S, Pratt CA, et al. An app with remote support achieves better adherence to home exercise programs than paper handouts in people with musculoskeletal conditions: a randomised trial. J Physiother 2017 Jul;63(3):161-167 [FREE Full text] [doi: 10.1016/j.jphys.2017.05.015] [Medline: 28662834]
- 23. Yu D, Parmanto B, Dicianno B. An mhealth app for users with dexterity impairments: accessibility study. JMIR Mhealth Uhealth 2019 Jan 8;7(1):e202 [FREE Full text] [doi: 10.2196/mhealth.9931] [Medline: 30622096]

- 24. Dern N. The Atlantic. 2018. Why Are Obstacle-Course Races So Popular? URL: <u>https://www.theatlantic.com/health/archive/</u>2018/07/why-are-obstacle-course-races-so-popular/565130/ [accessed 2019-01-27] [WebCite Cache ID 75kb3JPxR]
- 25. Henderson S. Morning Chalk Up. 2018. CrossFit's Explosive Affiliate Growth by the Numbers URL: <u>https://morningchalkup.com/2018/10/23/crossfits-explosive-affiliate-growth-by-the-numbers/</u>[accessed 2019-01-28] [WebCite Cache ID 75kboF4J8]
- 26. McCurdie T, Taneva S, Casselman M, Yeung M, McDaniel C, Ho W, et al. mHealth consumer apps: the case for user-centered design. Biomed Instrum Technol 2012;Suppl:49-56. [doi: <u>10.2345/0899-8205-46.s2.49</u>] [Medline: <u>23039777</u>]
- 27. van der Weegen S, Verwey R, Spreeuwenberg M, Tange H, van der Weijden T, de Witte L. The development of a mobile monitoring and feedback tool to stimulate physical activity of people with a chronic disease in primary care: a user-centered design. JMIR Mhealth Uhealth 2013 Jul 2;1(2):e8 [FREE Full text] [doi: 10.2196/mhealth.2526] [Medline: 25099556]
- Kujala S, Kauppinen M. Identifying and Selecting Users for User-Centered Design. In: Proceedings of the Third Nordic Conference on Human-Computer Interaction. 2004 Presented at: NordiCHI'04; October 23-27, 2004; Tampere, Finland p. 297-303. [doi: 10.1145/1028014.1028060]
- 29. Gibbs A. Social Research Update University of Surrey. 1997. Focus Groups URL: <u>http://sru.soc.surrey.ac.uk/SRU19.html</u> [accessed 2019-08-29]
- 30. Braun V, Clarke V. Using thematic analysis in psychology. Qual Res Psychol 2006 Jan;3(2):77-101. [doi: 10.1191/1478088706qp063oa]
- 31. Zhao J, Freeman B, Li M. Can mobile phone apps influence people's health behavior change? An evidence review. J Med Internet Res 2016 Oct 31;18(11):e287 [FREE Full text] [doi: 10.2196/jmir.5692] [Medline: 27806926]
- 32. Azar KM, Lesser LI, Laing BY, Stephens J, Aurora MS, Burke LE, et al. Mobile applications for weight management: theory-based content analysis. Am J Prev Med 2013 Nov;45(5):583-589. [doi: 10.1016/j.amepre.2013.07.005] [Medline: 24139771]
- Conroy DE, Yang C, Maher JP. Behavior change techniques in top-ranked mobile apps for physical activity. Am J Prev Med 2014 Jun;46(6):649-652. [doi: 10.1016/j.amepre.2014.01.010] [Medline: 24842742]
- 34. Michie S, Ashford S, Sniehotta FF, Dombrowski SU, Bishop A, French DP. A refined taxonomy of behaviour change techniques to help people change their physical activity and healthy eating behaviours: the CALO-RE taxonomy. Psychol Health 2011 Nov;26(11):1479-1498. [doi: 10.1080/08870446.2010.540664] [Medline: 21678185]
- 35. Mercer K, Li M, Giangregorio L, Burns C, Grindrod K. Behavior change techniques present in wearable activity trackers: a critical analysis. JMIR Mhealth Uhealth 2016 Apr 27;4(2):e40 [FREE Full text] [doi: 10.2196/mhealth.4461] [Medline: 27122452]
- 36. Yang CH, Maher JP, Conroy DE. Implementation of behavior change techniques in mobile applications for physical activity. Am J Prev Med 2015 Apr;48(4):452-455. [doi: 10.1016/j.amepre.2014.10.010] [Medline: 25576494]
- 37. Dallinga J, Janssen M, van der Werf J, Walravens R, Vos S, Deutekom M. Analysis of the features important for the effectiveness of physical activity-related apps for recreational sports: expert panel approach. JMIR Mhealth Uhealth 2018 Jun 18;6(6):e143 [FREE Full text] [doi: 10.2196/mhealth.9459] [Medline: 29914863]
- Simões P, Silva AG, Amaral J, Queirós A, Rocha NP, Rodrigues M. Features, behavioral change techniques, and quality of the most popular mobile apps to measure physical activity: systematic search in app stores. JMIR Mhealth Uhealth 2018 Oct 26;6(10):e11281 [FREE Full text] [doi: 10.2196/11281] [Medline: 30368438]
- 39. Lee HE, Cho J. What motivates users to continue using diet and fitness apps? Application of the uses and gratifications approach. Health Commun 2017 Dec;32(12):1445-1453. [doi: 10.1080/10410236.2016.1167998] [Medline: 27356103]
- 40. Jozani MM, Maasberg M, Ayaburi E. Slayers vs Slackers: An Examination of Users' Competitive Differences in Gamified IT Platforms Based on Hedonic Motivation System Model. In: Proceedings of the International Conference on Learning and Collaboration Technologies. 2018 Presented at: LCT'18; July 15-20, 2018; Las Vegas, NV, USA p. 164-172. [doi: 10.1007/978-3-319-91152-6\_13]
- Thorsteinsen K, Vittersø J, Svendsen GB. Increasing physical activity efficiently: an experimental pilot study of a website and mobile phone intervention. Int J Telemed Appl 2014;2014:746232 [FREE Full text] [doi: 10.1155/2014/746232] [Medline: 24963290]
- 42. Guest G, Namey E, McKenna K. How many focus groups are enough? Building an evidence base for nonprobability sample sizes. Field Methods 2016 Jul 24;29(1):3-22. [doi: 10.1177/1525822X16639015]

# Abbreviations

eHealth: electronic health mHealth: mobile health OCR: obstacle course race RM: repetition maximum PR: personal record UCD: user-centered design



Edited by G Eysenbach; submitted 13.06.19; peer-reviewed by M Kittelson, A Silva, G Signorelli; comments to author 20.07.19; revised version received 05.08.19; accepted 19.08.19; published 11.10.19 Please cite as:

Olsen SH, Saperstein SL, Gold RS Content and Feature Preferences for a Physical Activity App for Adults With Physical Disabilities: Focus Group Study JMIR Mhealth Uhealth 2019;7(10):e15019 URL: https://mhealth.jmir.org/2019/10/e15019 doi: 10.2196/15019 PMID: 31605518

©Sara H Olsen, Sandra L Saperstein, Robert S Gold. Originally published in JMIR Mhealth and Uhealth (http://mhealth.jmir.org), 11.10.2019. This is an open-access article distributed under the terms of the Creative Commons Attribution License (https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work, first published in JMIR mhealth and uhealth, is properly cited. The complete bibliographic information, a link to the original publication on http://mhealth.jmir.org/, as well as this copyright and license information must be included.

