Corrigenda and Addenda

Correction: ColistinDose, a Mobile App for Determining Intravenous Dosage Regimens of Colistimethate in Critically III Adult Patients: Clinician-Centered Design and Development Study

Xueliang Hua^{1*}, BSc; Chen Li^{2,3,4*}, PhD; Jason M Pogue⁵, PharmD; Varun S Sharma⁴, MSc; Ilias Karaiskos⁶, MD, PhD; Keith S Kaye⁷, MD, MPH; Brian T Tsuji^{8,9}, PharmD; Phillip J Bergen^{3,10}, PhD; Yan Zhu^{3,10}, PhD; Jiangning Song^{2,3,11}, PhD; Jian Li^{3,10}, PhD

Corresponding Author:

Jian Li, PhD
Department of Microbiology
Monash University
19 Innovation Walk, Monash University
Melbourne, VIC 3800
Australia

Phone: 61 3 9903 9702 Email: jian.li@monash.edu

Related Article:

Correction of: https://mhealth.jmir.org/2020/12/e20525/

(JMIR Mhealth Uhealth 2020;8(12):e26593) doi: 10.2196/26593

In "ColistinDose, a Mobile App for Determining Intravenous Dosage Regimens of Colistimethate in Critically Ill Adult Patients: Clinician-Centered Design and Development Study" (JMIR Mhealth Uhealth 2020;8(12):e20525) the authors noted one error due to an editing issue.

In the Abbreviations section, two abbreviations were listed incorrectly as follows:

CVVD: continuous veno-venous hemofiltration CVVH: continuous veno-venous hemofiltration These abbreviations have been corrected to:

CVVH: continuous veno-venous hemofiltration

CVVHD: continuous veno-venous hemodialysis

The correction will appear in the online version of the paper on the JMIR Publications website on December 18, 2020, together with the publication of this correction notice. Because this was made after submission to PubMed, PubMed Central, and other full-text repositories, the corrected article has also been resubmitted to those repositories.



¹Independent Researcher, Santa Clara, CA, United States

²Department of Biochemistry and Molecular Biology, Monash University, Melbourne, Australia

³Infection and Immunity Program, Biomedicine Discovery Institute, Monash University, Melbourne, Australia

⁴Institute of Molecular Systems Biology, Department of Biology, ETH Zurich, Zurich, Switzerland

⁵Department of Clinical Pharmacy, University of Michigan College of Pharmacy, Ann Arbor, MI, United States

⁶1st Internal Medicine and Infectious Diseases Department, Hygeia Hospital, Marousi, Greece

⁷Department of Internal Medicine, University of Michigan Medical School, Ann Arbor, MI, United States

⁸Laboratory for Antimicrobial Dynamics, NYS Center of Excellence in Bioinformatics & Life Sciences, Buffalo, NY, United States

⁹School of Pharmacy and Pharmaceutical Sciences, University at Buffalo, Buffalo, NY, United States

¹⁰Department of Microbiology, Monash University, Melbourne, Australia

¹¹Monash Centre for Data Science, Faculty of Information Technology, Monash University, Melbourne, Australia

^{*}these authors contributed equally

This is a non-peer-reviewed article. Submitted 17.12.20; accepted 17.12.20; published 18.12.20.

Please cite as:

Hua X, Li C, Pogue JM, Sharma VS, Karaiskos I, Kaye KS, Tsuji BT, Bergen PJ, Zhu Y, Song J, Li J

Correction: ColistinDose, a Mobile App for Determining Intravenous Dosage Regimens of Colistimethate in Critically Ill Adult

Patients: Clinician-Centered Design and Development Study

JMIR Mhealth Uhealth 2020;8(12):e26593 URL: http://mhealth.jmir.org/2020/12/e26593/

doi: <u>10.2196/26593</u> PMID: <u>33338026</u>

©Xueliang Hua, Chen Li, Jason M Pogue, Varun S Sharma, Ilias Karaiskos, Keith S Kaye, Brian T Tsuji, Phillip J Bergen, Yan Zhu, Jiangning Song, Jian Li. Originally published in JMIR mHealth and uHealth (http://mhealth.jmir.org), 18.12.2020. This is an open-access article distributed under the terms of the Creative Commons Attribution License (https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work, first published in JMIR mHealth and uHealth, is properly cited. The complete bibliographic information, a link to the original publication on http://mhealth.jmir.org/, as well as this copyright and license information must be included.

